



STATE: Rajasthan

DATED: 02/07/2014

Note: - 1. As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

2. The Affiliation Granted Is Valid For Five Years.

SCIR (Standing Committee Inspection Report); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report);

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks
		Instt.	Std. Comm. /QCI	Approval by Sub-Committee of NCVT	
89 Rao Private ITI, Kothinarayanpur, Rajgarh, Dist. Alwar-301408 Rajasthan DGET-6/20/22/2010-TC VOL.I	Electrician	Addl. 10(3+3+4)	Addl. 10(3+3+4)	Addl. 10(3+3+4) Total 12(4+4+4)	Assessment-29/4/2014 w.e.f. Aug 2014
90 Shiv Shakti Private ITI, F- 84, LIC Road, RIICO Industrial Area, Ondella Road, Dist. Dholpur Rajasthan DGET-6/20/121/2014-TC (New Pvt.)	Electrician	9(3+3+3)	9(3+3+3)	9(3+3+3)	Assessment-4/6/2014 w.e.f. Aug 2014
91 Lakshay Private ITI, E-7, Industrial Area, Tehsil. Suratgarh, Dist. Sriganga Nagar Pin-335804 Rajasthan DGET-6/20/62/2007-TC	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-6/6/2014 w.e.f. Aug 2014
92 Gangapur Private ITI, Near SFS School RIICO Gangapur City, Tehsil. Gangapur city, Dist. Sawai Madhopur Pin-322201 Rajasthan DGET-6/20/89/2014-TC (New Pvt.)	Electrician	6(2+2+2)	6(2+2+2)	6(2+2+2)	Assessment-01/05/2014 w.e.f. Aug 2014

-21 एस.सी. शर्मा / S.C. SHARMA
संयुक्त निदेशक प्रशिक्षण / Joint Director of Trg.
डी.जी.ई. एण्ड टी. / D.G.E.&T., Min. of Labour & Employment
भारत सरकार / Govt. of India
नई दिल्ली / New Delhi



SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instt.	Std. Comm.	DGET		
15. Prince ITC, Village Shyopura, Post Ojato, Via- chirawa Dist. Jhunjhunu Pin- 333026 Rajasthan DGET-6/20/21/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/11/2009 w.e.f.Feb 2010
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Electronics Mechanic	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
16. Saraswati ITC, E-352 A MIA F Road, Dist. Udaipur Pin- 313003 Rajasthan DGET-6/20/9/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-19/11/2009 w.e.f.Feb 2010 *Trade Instructors are not qualified as per NCVT norms. Trade instructors are having qualification in fitter trade while trade is Sanitary Hardware Fitter.
	Sanitary Hardware Fitter	2(1+1)	2(1+1)	*Rejected	*Rejected	
17. Maa Sanja Devi ITC, Bharatpur Road, Bidyari Teh. Bayana Dist. Bharatpur Pin-321401 Rajasthan DGET-6/20/112/2008-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)*	Addl. 2(1+1) Total 4(2+2)*	SCIR-20/11/2009 w.e.f.Feb 2010 *S/D may please ensure that instructors have joined the duty before admission of trainees & send the joining report & other documents of instructors.
18. Rao ITC, Malakhera Teh. Malakhera Dist. Alwar Pin- 301408 Rajasthan DGET-6/20/22/2010-TC (New Pvt.)	Electrician	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-28/10/2010 w.e.f.Feb 2010
	Fitter	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Mech. Diesel	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	COPA	2(1+1)	2(1+1)	2(1+1)	2(1+1)	